



ਗੁਰੂ ਨਾਨਕ ਦੇਵ ਸੁਪਰ-ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ Guru Nanak Dev Super-Speciality Hospital

Run By: Baba Jiwan Singh Baba Dalip Singh Educational Trust (Regd.)



Ref. No. 22/GNDSSH/Adm

Date 09/04/2026

To
The Additional Director,
Ministry of Environment, Forest & Climate Change,
Regional Office (North)
Government of India
Bay No. 24-25, Sector-31A
Chandigarh.
(Mail ids.: eccompliance-nro@gov.in and ronz.chd-mef@nic.in)

Subject: Submission of Six-monthly Compliance Report for period ending 31.03.2026 for the project namely "Guru Nanak Dev Super Specialty Hospital" located at Village Muradpura, Goindwal Sahib-Tarn Taran road, Tehsil & Distt Tarn Taran by M/s Baba Jiwan Singh Baba Dalip Singh Educational Trust

Sir,

With reference to the EIA Notification & its amendments regarding submission of six-monthly compliance report, we are hereby submitting the six-monthly compliance report for period ending 31.03.2026 for the above said project in soft copy through mail for your perusal.

Kindly, acknowledge the receipt of the same.

Thanking you

Sincerely,

For M/s. Baba Jiwan Singh Baba Dalip Singh Educational Trust

Amrik Singh
(Authorized Signatory)
Name: Dr. Amrik Singh
Contact No.: 9888629090, 8872089100
Designation: Medical Superintendent
Email: sanghagurman@gmail.com , gndsshospital@gmail.com

CC to: Member Secretary, SEIAA Punjab, Punjab Biotechnology Incubator (PBIT) Complex, Near National Agri-Food Biotechnology Institute (NABI), Sector 81, Mohali, Punjab (Through CD and e-mail seiaapb2017@gmail.com)

Head Office: Goindwal Sahib Road, Tarn Taran, Punjab, India -143401

Ph: 01852-505100 | Website : www.gndsshospital.org | E-mail: info@gndsshospital.org

2026

**SIX MONTHLY EC COMPLIANCE
REPORT
(Period ending 31.03.2026)**

**For
“Guru Nanak Dev Super Specialty Hospital”**

Located at

**Village Muradpura, Goindwal Sahib-Tarn
Taran road, Tehsil & Distt Tarn Taran**

Project by:

**M/s. Baba Jiwan Singh Baba Dalip Singh
Educational Trust**

Prepared by:



**Eco Paryavaran Laboratories and Consultants
Private Limited**

**E-207, Industrial Area, Phase-VIII B (Sector-74), S.A.S Nagar (Mohali)
Punjab.**

Technical Support: compliance@ecoparyavaran.org; gms@ecoparyavaran.org

CRM: crmlab@ecoparyavaran.org; bdm@ecoparyavaran.org

Phone: 9888908258; 6283361152; 9888743181

www.ecoparyavaran.org



CONTENT

S. No.	Description	Page No.
1.	Data Sheet	1
2.	Compliance of Environmental Clearance conditions	4
Annexures		
3.	A-1: Copy of Environment Clearance Letter	12
4.	A-2: STP Completion Certificate	21
5.	A-3: Project Photographs	22
6.	A-4(a): Agreement for Biomedical Waste	27
7.	A-4(b): Authorization for Biomedical Waste	31
8.	A-4(c): Authorization for Hazardous Waste	36
9.	A-4(d): Consent to Operate (Air & Water)	39
10.	A-5: Test Reports of Ambient Air, Soil, Ground Water & Noise	50
11.	A-6: Photographs showing CSR activities	60
12.	A-7: Acknowledgment of previous submitted SMC period ending 30.09.2025	61

Ministry of Environment, Forest & Climate Change
Northern Region Office
Chandigarh-160030
Data sheet

1.	Project Type	Hospital (Building & Construction project)
2.	Name of the Project	Guru Nanak Dev Super Specialty Hospital
3.	Clearance letter (s) O.M. No. & Date	Environmental Clearance granted by SEIAA, Punjab vide Letter No. SEIAA/2309 dated 25.07.2014 and copy of same is attached along as Annexure 1.
4.	Location	Guru Nanak Dev Super Specialty Hospital Village Muradpura, Goindwal Sahib, Tarn-Taran Road, Tehsil Tarn Taran
a)	District(s)	Tarn Taran
b)	State (s)	Punjab
5.	Address for correspondence	M/s Baba Jiwan Singh Baba Dalip Singh Educational Trust , Located at Goindwal Sahib Road, Tarn-Taran Road, Tehsil & Distt. Tarn Taran, Punjab.
6.	Salient features	
a)	Of the Project	As per the Environment Clearance, the total area of the project is 14,589 sq.m (or 3.605 acres). The built up area of the project is 29,752 sq.m.
b)	Of the environment	As per the Environment Clearance, the total water requirement for the project is 226 KLD which is met through ground water. Total wastewater generation @ 80% is 181 KLD which is treated in STP of capacity 200 KLD installed within project premises. Out of the total 177 KLD of treated wastewater, 9.5 KLD is used for landscaping/horticulture and remaining 167.5 KLD is being discharged into the M.C sewer. The total quantity of solid waste generated is 491 kg/day, which is segregated into biodegradable and non - biodegradable solid waste as per as the Solid Waste Management Rules, 2016. The total load of electricity for the project is 2,525 KW.

7.	Breakup of the Project Area	-						
a)	Submergence area	Not Applicable						
8.	Break up of project affected population with enumeration of those losing houses/dwelling units only, agricultural land only both dwelling units and agricultural land and landless laborers/landless laborers/ artisans.	Not Applicable						
a)	SC/ST/ Adivasis	Not Applicable						
b)	Others (Please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures. if a survey has been carried out give details and year of survey)	Not Applicable						
9.	Financial details							
a)	Project cost as originally planned and subsequent revised estimates and the year of price reference.	Rs. 16,006.53 Lakhs						
b)	Allocations made for environmental management please with item wise and year of assessment.	As per EC letter, Rs. 25.6 lakhs will be the allocations made for environment management plan and Rs. 3.50 lakhs will be recurring cost.						
c)	Benefit cost ratio/Internal rate of return and year of assessment.	Cost will be calculated and submitted separately.						
d)	Whether (c) includes the cost of environmental management as shown in (b) above.	Yes						
e)	Actual expenditure incurred on the project so far.	Approx. Rs. 4,273.91 Lakhs has been spent on the project. Construction of the project has been completed and project is in operational phase.						
f)	Actual expenditure incurred on the environmental management plans so far.	As the project is operational, so capital investment on EMP has been done, only recurring expenditure is being done. Details of recurring expenditure on environment protection measures are given below: <table border="1"> <thead> <tr> <th>S. No.</th><th>Particulars</th><th>Recurring Cost (in Lakhs)</th></tr> </thead> <tbody> <tr> <td>1.</td><td>Sewage Treatment Plant</td><td>4.25</td></tr> </tbody> </table>	S. No.	Particulars	Recurring Cost (in Lakhs)	1.	Sewage Treatment Plant	4.25
S. No.	Particulars	Recurring Cost (in Lakhs)						
1.	Sewage Treatment Plant	4.25						

		2.	Solid Waste and Bio-Medical Waste management	2.38
		3.	Landscaping	0.98
		Total		Rs. 7.61 lakhs
10.	Forest lands requirement	Not applicable		
a)	The status of approval for diversion of forest land for non-forestry use.	-		
b)	The status of clear felling.	-		
c)	The status of compensatory a forestation programmer in the light of actual field experience so far.	-		
11.	The status of clear felling in non-forest areas (such as submergence area of reservoir, approach road) if any, with quantitative information.	Not applicable		
12.	Status of construction	Project is in operational phase. Photographs of the project are attached along as Annexure 3.		
a)	Date of commencement (actual and/or planned)	28.08.2007		
b)	Date of completion (actual and/or planned)	24.12.2012		
13.	Reasons for the delay if the project is yet to start:	Not Applicable		

Compliance report of Environmental Clearance for Period ending 31.03.2026

Part A- Specific conditions

I. Construction Phase: Conditions of construction phase are not applicable, as project is operational.

II. Operation Phase:

S. No	Compliance Conditions	Compliance Reply
i.	The installation of sewage treatment plant (STP) and adequacy of disposal system should be certified by Punjab Pollution Control Board and a report in this regard should be submitted to the Ministry of Environment & Forests/ State Level Environment Impact Assessment Authority before the project is commissioned for operation. The discharge of treated sewage shall conform to the norms and standards prescribed by Punjab Pollution Control Board for such discharges.	STP of capacity 200 KLD has been installed within project premises. Completion certificate of STP of capacity 200 KLD installed within the hospital premises is attached as Annexure 2 . Parameters of discharge of treated sewage are within the prescribed norms and standards of PPCB. The operation and efficiency of STP is being maintained by regular maintenance. Proof regarding the same is attached as Annexure 5 .
ii.	The project proponent shall provide electromagnetic flow meter at the outlet of the water supply, outlet of the STP and any pipeline to be used for re-using the treated wastewater back into the system for flushing/ HVAC and for horticulture purpose etc. and shall maintain a record of readings of each such meter on daily basis.	Agreed. Electromagnetic flow meter has been installed at outlet of STP and borewell and records are being maintained on regular basis. However, generation of wastewater is comparatively less depending on the patients walk-in. EMF records of STP outlet/Test report is being maintained and are attached as Annexure 5 .
iii.	Adequate & appropriate pollution control measures should be provided to control fugitive emissions to be emitted within the commercial complex.	Agreed. Appropriate control measures are taken to control/ minimized fugitive emissions due to leakage from any type of machinery/ process facilities. Also, the machinery/ process facilities are regularly examined/ repaired to prevent any type of leakage.
iv.	Adequate treatment facility for drinking water shall be provided, if required.	Agreed. Adequate treatment for drinking water supply has been provided. Completion certificate of STP are attached as Annexure 2 .

v.	Rainwater harvesting for roof run-off should be implemented. Before recharging the roof run-off, pretreatment must be done to remove suspended matter, oil and grease. However, no run off from gardens/ green area/ roads/ pavements shall be connected with the ground water recharging system.	Two Rain water recharging pits have been provided within project premises.
vi.	The solid waste generated should be properly collected and segregated. The recyclable solid waste shall be sold out to the authorized vendors and inert shall be sent to disposal facility. The Bio-degradable solid waste shall be adequately treated as per the scheme submitted by the project proponent. Prior approval of competent authority should be obtained, if required.	Agreed. Solid waste generated is being properly collected and segregated into recyclable and non-recyclable waste. Recyclable waste is being sold to local recycler and non-recyclable is being dumped to authorized dumping site by taking appropriate measures. Bio-Medical waste is being generated from the project and is being segregated into different coloured code bins as per the Bio Medical Waste Management Rules, 2016 & its amendments. Agreement has been done with M/s Amritsar Envirocare Systems (P) Ltd. (formerly Amritsar Healthcare Systems) for Biomedical Waste; copy of the same is enclosed as Annexure 4(a). And proof of invoice regarding Biomedical waste disposal is attached as Annexure 4(b) Further, authorization for biomedical waste has been obtained from PPCB; copy of the same is enclosed as Annexure 4(b). Further, Authorization of Hazardous Waste has been obtained from PPCB. Copy of the same is enclosed as Annexure 4(c).
vii.	Hazardous waste/ E-waste should be disposed off as per Rules applicable and with the necessary approval of the Punjab Pollution Control Board.	Agreed. E-waste and hazardous waste are handled and managed as per the rules. Authorization of Hazardous Waste has been obtained from PPCB. Copy of the same is enclosed as Annexure 4(c) .
viii.	The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the	Agreed. Adequate green area has been provided within the project premises. Project

	day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous species/variety.	Photographs of the green area are attached along as Annexure 3 .
ix.	The project proponent should take adequate and appropriate measures to contain the ambient air quality within the prescribed standards. The proposal regarding mitigation measures to be taken at site should be submitted to the Ministry of Environment & Forests/ State Level Environment Impact Assessment Authority within three months.	Agreed. Adequate green area has been provided within the project premises to control air or noise pollution. Further, ambient air quality, noise etc. is being monitored on half yearly basis from NABL accredited laboratory to check the quality of ambient air and other parameters. Test reports of recent monitoring are attached along as Annexure 5 .
x.	Incremental pollution loads on the ambient air quality, noise and water quality should be periodically monitored after commissioning of the project.	Half yearly environmental monitoring is regularly being done. Test reports for the same are attached along as Annexure 5 .
xi.	Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating.	Agreed. Solar panels is already installed within project premises at common areas for lighting purposes.
xii.	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.	Parking areas are fully internalized. Entry and Exit point are so designed that there is no traffic congestion.
xiii.	A report on the energy conservation measures conforming to energy conservation norms finalized by Bureau of Energy Efficiency should be prepared incorporating details about machinery of air conditioning, lifts, lighting, building materials, R & U Factors etc. and submitted to the respective Regional office of MoEF, the Zonal Office of CPCB and the SPCB/SEIAA in three months' time.	Agreed & accepted. All the suitable energy efficient measures are taken, LED lights and Solar energy etc. In addition to this energy efficient medical equipment are being used.

xiv.	Environment Management Cell shall be formed during operation phase which will supervise and monitor the environment related aspects of the project.	Environmental Management Cell consists of following members.		
		Name	Designation	Contact number
		Dr. Amrik Singh	Medical Superintendent	88720-89100
		Mr. Hardeep Singh	STP plant (Technician)	88720-89100
		Ms. Gurpreet Kaur	ICN (Infection Control Nurse)	88720-89100

Part B. General Conditions:

S. No	Conditions	Reply
i.	This Environmental clearance will be valid for a period of five years from the date of its issue or till the completion of the project, whichever is earlier.	Agreed. Environmental Clearance has been granted vide letter no. SEIAA/2309 dated 25.7.2014 and is valid till 25.07.2024 as per EIA Notification & its amendments.
ii.	The environmental safeguards contained in the application of the promoter/ mentioned during the presentation before State Level Environment Impact Assessment Authority/ State Expert Appraisal Committee should be implemented in letter and spirit.	Environmental Safeguards as prescribed by the Ministry of Environment & Forest is being implemented in true spirit.
iii.	The entire cost of the environmental management plan (i.e. capital cost as well as recurring cost) will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/ residents society under proper MOU after obtaining prior permission of the Punjab Pollution Control Board.	Agreed. Cost of the environmental management plan will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/ residents society.
iv.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as	Agreed. Six-monthly compliance reports are being regularly submitted to Regional Office of MoEF&CC & SEIAA, Punjab.

	well as by mail) to the respective Regional office of MoEF, the Zonal Office of CPCB and the SPCB/ SEIAA.	
v.	Officials from the Regional Office of Ministry of Environment & Forests, Chandigarh/ State Level Environment Impact Assessment Authority/ State Level Expert Appraisal Committee/ Punjab Pollution Control Board who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents/ data by the project proponents during their inspection. A complete set of all the documents submitted to State Environment Impact Assessment Authority should be forwarded to the CCF, Regional Office of Ministry of Environment & Forests, and Chandigarh/ State Level Environment Impact Assessment Authority.	Agreed. Full cooperation, facilities and data for the implementation of environmental safeguards will be given to statutory bodies during their inspection at project.
vi.	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by State Environment Impact Assessment Authority.	Agreed. No such changes were done so far. However, if changes will be made, then fresh application will be submitted to SEIAA, Punjab.
vii.	Separate distribution pipelines should be laid down for use of treated effluent/raw water for horticulture/ gardening purpose with different color coding.	Agreed. Separated pipelines has been provided within project premises with different colour coding.
viii.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest (Conservation) Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, by project proponents from the other statutory bodies as applicable. The project proponent shall also obtain permission from the NBWL, if applicable.	Agreed. All necessary clearances have been obtained as when & where required. Such as: • Authorization for biomedical waste has been obtained from PPCB; copy of the same is enclosed as Annexure 4(a). • Authorization of hazardous waste obtained from PPCB. copy of the same is enclosed as Annexure 4(c).

		Consent to Operate (Air & Water) has been obtained from PPCB. copy of the same is enclosed as Annexure 6(e).
ix.	The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Punjab Pollution Control Board. The advertisement should be made within seven days from the day of issue of the clearance letter and a copy of the same should be forwarded to the Regional Office, Ministry of Environment & Forest, Chandigarh.	Agreed. Advertisement has been published & copy of the same has already been submitted with previous six monthly reports.
x.	These stipulations would be enforced among others under the provisions of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, Environmental (Protection) Act, 1986, The Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	Agreed.
xi.	Environmental clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No. 460 of 2004 as may be applicable to this project and decisions of any competent court, to the extent applicable.	Agreed.
xii.	The project proponent shall obtain CLU from the competent authority, if any authority persists.	Agreed.
xiii.	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad/ Municipal Corporation, Urban local body and the local NGO, if any, from whom suggestions/ representations, if any,	Agreed. Environment Clearance letter along with previous submitted six monthly compliance reports will be uploaded on the website.

	were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	
xiv.	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM _{2.5} , PM ₁₀ , SO ₂ , NO _x , CO, Pb, Ozone (ambient air as well as stack emission) shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Agreed. Status of EC conditions along with test reports will be uploaded on the website. Acknowledgment and mail of same is attached as Annexure-7 .
xv.	The project proponent shall adhere to the commitments made in the Environment Management Plan and Corporate Social Responsibility and shall spend the amount as proposed or atleast minimum required to be spent under the provisions of the Companies Act 1956, whichever is higher.	Agreed. As the project is in operational phase therefore, capital investment on EMP has already been done, only recurring expenditure is being spent. Further, photographs of landscaped green area & maintained bio-medical waste area and completion certificate of STP is attached along with the report. Also, free medical camps and free fibro scan camps have been organized under CSR activities for which medical equipment and doctors have been organized from Guru Nanak Dev Super Specialty Hospital itself. And amount of Rs. 50,000 donated for a mission Chardi Kala, a global campaign to raise funds for Government of Punjab's efforts to rehabilitate flood victims and to build Punjab. Photographs of CSR activities and flood donation proof is attached as Annexure – 6 .

xvi.	The State Environment Impact Assessment Authority reserves the right to add additional safeguards/ measures subsequently, if found necessary and to take action including revoking of the environmental clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguards/ measures in a time bound and satisfactory manner.	Agreed.
xvii	Any appeal against this environmental clearance shall lie with the National Environment Appellate Authority, if preferred, within a period of 30 days as prescribed under section 16 of the National Environment Appellate Act, 2010.	Not applicable as 30 days' time period was over and no appeal was made.



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY PUNJAB

Ministry of Environment and Forests, Government of India

O/O Punjab Pollution Control Board,
Vatavaran Bhawan, Nabha Road,
Patiala – 147 001
Telefax:- 0175-2215636

No. SEIAA/ 2309

Dated:25.07.2014

Registered

To

M/s Baba Jiwan Singh Baba Dalip Singh Educational Trust,
Goindwal Sahib Road, Tarn Taran.

Subject: Environmental clearance under EIA notification dated 14.09.2006 for development of a Hospital namely "Guru Nanak Dev Super-Specialty Hospital" in the revenue estate of Village Muradpura, Goindwal Sahib- Tarn Taran road, Tehsil & Distt Tarn Taran by M/s Baba Jiwan Singh Baba Dalip Singh Educational Trust.

This has reference to your application for obtaining environmental clearance under EIA notification dated 14.09.2006 for development of a Hospital namely "Guru Nanak Dev Super-Specialty Hospital" in the revenue estate of Village Muradpura, Goindwal Sahib- Tarn Taran road, Tehsil & Distt Tarn Taran and subsequent presentation given before the State Level Expert Appraisal Committee (SEAC) for seeking prior environmental clearance for subject cited project as required under the EIA Notification, 2006. The proposal has been appraised as per procedure prescribed under the provisions of EIA Notification dated 14.09.2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, 1-A, conceptual plan and the additional clarifications furnished in response to the observations of the SEAC.

It is inter-alia noted that the proposal involves development of a Hospital namely "Guru Nanak Dev Super-Specialty Hospital" in the revenue estate of Village Muradpura, Goindwal Sahib- Tarn Taran road, Tehsil & Distt Tarn Taran. The total plot area is 3.605 acres (14589 sqm), having a total built up area of 29752 sqm. The project proponent has obtained CLU from Dept. of Town & Country Planning vide letter no. 3704 dated 04.09.2012. The estimated population of the project is 1977 persons, out of which 477 is residential population and 1500 is floating population.

The water requirement for the project is 226 KLD which is met from ground water. In summer season, the total water requirement is 226 KLD, which is met from fresh groundwater. The total wastewater generation is 181 KLD, which is treated in an STP of capacity 200 KLD installed within the project premises. Out of the total 177 KLD of treated wastewater, 9.5 KLD is used for landscaping/horticulture and remaining 167.5 KLD is being discharged into the M.C. sewer. In winter season, out of the total 177 KLD of treated wastewater, 3.13 KLD is used for landscaping/horticulture and remaining 174.87 KLD is being discharged into the M.C. sewer. In rainy season, out of the total 177 KLD of treated wastewater, 0.8 KLD is used for landscaping/horticulture and remaining 176.2 KLD is being discharged into the M.C. sewer. The project proponent has obtained NOC issued by M.C. Tarn Taran vide no. 173 dated 26.02.2013 regarding the disposal of sewage. The project proponent has submitted an NOC issued by the Executive Officer, Municipal Council for abstraction of ground water. The groundwater is recharged by providing 2 no. rain water harvesting pits to tap roof top water.

The total quantity of MSW has been estimated as 491 Kg/day, which is segregated into biodegradable and non-biodegradable solid waste. The recyclable waste is sold out to the recyclers. The biodegradable organic waste is being dumped in the area earmarked for the same. The project proponent has obtained NOC issued by M.C. Tarn Taran vide no. 198 dated 28.02.2013 regarding the disposal of solid waste. The E-wastes and hazardous wastes are handled and managed as per the rules. The bio-medical waste @ 250 kg/day is generated which is disposed off to CBWTF i.e. M/s Amritsar Envirocare Systems (P) Ltd, Amritsar. The total power requirement is 2525 KW, which is taken from Punjab State Power Corporation Ltd. The project promoter has provided 3 no. DG sets of capacity of 750 KVA each as standby arrangement of power supply. The project proponent has provided parking facility for 664 ECS. Rs. 25.6 lacs are invested for environmental monitoring and Rs.3.50 Lacs will be spent as recurring cost for implementation of Environment Management Plan. Rs. 18 lacs is invested on the activities undertaken under corporate social responsibility. The traffic circulation plan and Disaster/Risk Assessment & Management Plan has been prepared and submitted.

The case was considered by the SEAC in its 69th meeting held on 18.04.2013, wherein, the Committee screened the application and deferred the case due to certain clarifications to be sought from Punjab Pollution Control Board. Thereafter, the case was considered by the SEAC in its 75th meeting held on 25.09.2013 and the SEAC observed that as per the report sent by Punjab Pollution Control Board vide letter no. 4260 dated 14.08.2013, wherein, mention of legal opinion obtained in the matter had also been made, the built up area of Hospital building is 19235.9 sqm and that of hostel building is 10632 sqm and combined built up area of both the buildings exceeds 20,000 sqm, as such, the project is covered under EIA Notification dated 14.09.2006. The SEAC further observed that as per the report of the Punjab Pollution Control Board, consent to operate has already been granted to both the projects which reflects that construction had already been done at site. As such, the case was required to be dealt as per the procedure mentioned in the Office Memorandum dated 12.12.2012 of the Ministry of Environment & Forests as amended on 27.06.2013 since the promoter company has violated the provisions of EIA Notification dated 14.09.2006 by starting construction of the project without obtaining environmental clearance under the said Notification. Therefore, the SEAC recommended the case to SEIAA for sending the case to the Govt. of Punjab, Department of Science, Technology & Environment for initiating credible action against project proponent /responsible persons /promoter company under the Environment (Protection) Act, 1986 due to start of construction activities without obtaining Environmental Clearance under EIA notification dated 14.09.2006.

The case was considered by the SEIAA in its 52nd meeting held on 23.10.2013 and decided to send the case to the Govt. of Punjab, Department of Science, Technology & Environment for initiating action under the Environment (Protection) Act, 1986 due to starting the construction activities of the project without obtaining Environmental Clearance under EIA notification dated 14.09.2006. Accordingly, the case was sent to the Govt. vide letter no. 47424 dated 30.10.2013. Thereafter, the Punjab Pollution Control Board vide letter no. 2163 dated 06.06.2014 informed that a complaint has been filed in the Hon'ble Court of Chief Judicial

Magistrate, Tarn Taran against the project promoter and the persons responsible for violation of the provisions of the EIA Notification dated 14.09.2006.

The case was considered by the SEAC in its 94th and 95th meeting held on 12.06.2014 and 28.06.2014 respectively, wherein, the SEAC awarded 'Silver Grading' to the project proposal and forwarded the case to the SEIAA with the recommendation to grant environmental clearance to the project proponent subject to conditions in addition to the proposed measures.

The case was considered by the SEIAA in its 66th meeting held on 11.07.2014 and the Authority noted that the case stands recommended by SEAC and the Committee awarded 'Silver Grading' to the project proposal. Therefore, the Authority decided to grant environmental clearance for construction of a Hospital namely "Guru Nanak Dev Super-Specialty Hospital" in the revenue estate of Village Muradpura, Goindwal Sahib- Tarn Taran Road, Tehsil & Distt Tarn Taran, subject to the certain conditions in addition to the proposed measures. Accordingly, SEIAA, Punjab hereby accords necessary environmental clearance for the above project under the provisions of EIA Notification dated 14.09.2006 and its subsequent amendments, subject to strict compliance of terms and conditions as follows:

PART A – Specific conditions

I. Construction Phase

- (i) "Consent to establish" shall be obtained from Punjab Pollution Control Board under Air (Prevention & Control of Pollution) Act, 1981 and Water (Prevention & Control of Pollution) Act, 1974 and a copy of the same shall be submitted to the Ministry of Environment & Forests / State Level Environment Impact Assessment Authority before the start of any construction work at site.
- (ii) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- (iii) A first aid room will be provided in the project both during construction and operation phase of the project.
- (iv) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- (v) Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed off after taking the necessary precautions for general safety and health aspects of people with the approval of competent authority.

- (vi) Construction spoils, including bituminous material and other hazardous material, must not be allowed to contaminate watercourses and the dump sites for such material must be secured, so that they should not leach into the groundwater.
- (vii) The diesel generator sets to be used during construction phase should be of low sulphur diesel type and should conform to the provisions of Environment (Protection) Act, 1986 prescribed for air and noise emission standards.
- (viii) Vehicles hired for bringing construction material to the site and other machinery to be used during construction should be in good condition and should conform to applicable air and noise emission standards.
- (ix) Ambient noise levels should conform to prescribed standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase.
- (x) Fly ash should be used as construction material in the construction as per the provisions of Fly Ash Notification of September, 1999 and as amended on August, 2003 (This condition is applicable only if the project is within 100 Km of Thermal Power Station).
- (xi) Ready mixed concrete should be used in building construction as far as possible.
- (xii) Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices.
- (xiii) Separation of drinking water supply and treated sewage supply should be done by the use of different colours.
- (xiv) Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- (xv) Adequate steps shall be taken to conserve energy by limiting the use of glass, provision of proper thermal insulation and taking measures as prescribed under the Energy Conservation Building Code.
- (xvi) The approval of competent authority shall be obtained for structural safety of the buildings due to earthquakes, adequacy of fire fighting equipments etc. as per National Building Code including protection measures from lightning.
- (xvii) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, disposal of waste water & solid waste in an environmentally sound manner, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.

II. Operation Phase

- i) The installation of sewage treatment plant (STP) and adequacy of disposal system should be certified by Punjab Pollution Control Board and a report in this regard should be submitted to the Ministry of Environment & Forests/State Level Environment Impact Assessment Authority before the project is commissioned

- for operation. The discharge of treated sewage shall conform to the norms and standards prescribed by Punjab Pollution Control Board for such discharges.
- ii) The project proponent shall provide electromagnetic flow meter at the outlet of the water supply, outlet of the STP and any pipeline to be used for re-using the treated wastewater back into the system for flushing and for horticulture purpose/green etc. and shall maintain a record of readings of each such meter on daily basis.
 - iii) Adequate & appropriate pollution control measures should be provided to control fugitive emissions to be emitted within the complex.
 - iv) Adequate treatment facility for drinking water shall be provided, if required.
 - v) Rainwater harvesting for roof run-off should be implemented. Before recharging the roof run-off, pretreatment must be done to remove suspended matter, oil and grease. However, no run off from gardens/green area/roads/pavements shall be connected with the ground water recharging system. Also, the first rainwater will not be harvested and the provisions for discharging the same directly into the storm sewer shall be made by the project proponent.
 - vi) The solid waste generated should be properly collected and segregated. The recyclable solid waste shall be sold out to the authorized vendors and inerts shall be sent to disposal facility. The Bio-degradable solid waste shall be adequately treated as per the scheme submitted by the project proponent. Prior approval of competent authority should be obtained, if required.
 - vii) Hazardous waste/E-waste should be disposed off as per Rules applicable and with the necessary approval of the Punjab Pollution Control Board.
 - viii) The green belt along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous species/variety.
 - ix) The project proponent should take adequate and appropriate measures to contain the ambient air quality within the prescribed standards. The proposal regarding mitigation measures to be taken at site should be submitted to the Ministry of Environment & Forests/ State Level Environment Impact Assessment Authority within three months.
 - x) Incremental pollution loads on the ambient air quality, noise and water quality should be periodically monitored after commissioning of the project.
 - xi) Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating.
 - xii) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.

- xiii) A report on the energy conservation measures conforming to energy conservation norms finalized by Bureau of Energy Efficiency should be prepared incorporating details about machinery of air conditioning, lifts, lighting, building materials, R & U Factors etc. and submitted to the respective Regional office of MoEF, the Zonal Office of CPCB and the SPCB/SEIAA in three months time.
- xiv) Environmental Management Cell shall be formed during operation phase which will supervise and monitor the environment related aspects of the project.

PART B – General Conditions :

- i) This environmental clearance will be valid for a period of five years from the date of its issue or till the completion of the project, whichever is earlier.
- ii) The environmental safeguards contained in the application of the promoter / mentioned during the presentation before State Level Environment Impact Assessment Authority/State Expert Appraisal Committee should be implemented in letter and spirit.
- iii) The entire cost of the environmental management plan (i.e. capital cost as well as recurring cost) will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/residents society under proper MOU after obtaining prior permission of the Punjab Pollution Control Board.
- iv) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by mail) to the respective Regional office of MoEF, the Zonal Office of CPCB and the SPCB/SEIAA.
- v) Officials from the Regional Office of Ministry of Environment & Forests, Chandigarh / State Level Environment Impact Assessment Authority / State Level Expert Appraisal Committee / Punjab Pollution Control Board who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents / data by the project proponents during their inspection. A complete set of all the documents submitted to State Environment Impact Assessment Authority should be forwarded to the CCF, Regional Office of Ministry of Environment & Forests, Chandigarh/State Level Environment Impact Assessment Authority.
- vi) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by State Environment Impact Assessment Authority.
- vii) Separate distribution pipelines be laid down for use of treated effluent / raw water for horticultural/gardening purposes with different colour coding.
- viii) All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest (Conservation) Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, by project proponents from the competent authorities including Punjab

Pollution Control Board and from other statutory bodies as applicable. The project proponent shall also obtain permission from the NBWL, if applicable.

- ix) The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Punjab Pollution Control Board. The advertisement should be made within seven days from the day of issue of the clearance letter and a copy of the same should be forwarded to the Regional Office, Ministry of Environment & Forests, Chandigarh.
- x) These stipulations would be enforced among others under the provisions of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, Environmental (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- xi) Environmental clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No. 460 of 2004 as may be applicable to this project and decisions of any competent court, to the extent applicable.
- xii) The project proponent shall comply with the conditions imposed in the Change of land use issued by the Competent Authority.
- xiii) A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad/ Municipal Corporation, Urban local body and the local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- xiv) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM_{2.5}, PM₁₀, SO₂, NO_x, CO, Pb, Ozone (ambient air as well as stack emissions) shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- xv) The project proponent shall adhere to the commitments made in the Environment Management Plan and Corporate Social Responsibility and shall spend the amount as proposed or atleast minimum required to be spent under the provisions of the Companies Act 1956, whichever is higher.
- xvi) The State Environment Impact Assessment Authority reserves the right to add additional safeguards/ measures subsequently, if found necessary, and to take action including revoking of the environmental clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguards/ measures in a time bound and satisfactory manner.

- xvii) Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Member Secretary (SEIAA)

REGISTERED

Endst. No. _____ **Dated** _____

A copy of the above is forwarded to the following for information & further necessary action please.

1. The Secretary to Govt. of India, Ministry of Environment and Forest, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi.
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-office Complex, East Arjun Nagar, New Delhi.
3. The Member Secretary, Punjab State Power Corporation Ltd., Amritsar.
4. The Deputy Commissioner, Amritsar.
5. The Member Secretary, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala.
6. The Chief Conservator of Forests (North), Ministry of Environment and Forest, Regional Office, Bays No.24-25, Sector-31-A, Chandigarh.
7. The Chief Town Planner, Pb., Department of Town & Country Planning, 6th Floor, PUDA Bhawan, Phase-8, Mohali
8. Monitoring Cell, Ministry of Environment and Forest, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi.
9. The Director (Environment), Ministry of Environment and Forest, Northern Regional Office, Bays No.24-25, Sector-31-A, Chandigarh. The detail of the project proponent is as under:

a)	Name of the applicant	Sh. Bhajan Singh
b)	Telephone Number	09463053838
c)	E-mail	-----
10. The Environmental Engineer (Computers), Punjab Pollution Control Board, Head Office, Patiala for displaying the environmental clearance on the web site of the State Level Environment Impact Assessment Authority.
11. The Executive Engineer, PUDA, Amritsar

Member Secretary (SEIAA)

Paras Hydrotech Pvt. Ltd.

Quiet Office No. 5, 2nd Floor, Cabin No. 12
Sector 35-A, Chandigarh-160035
Ph. : 0172-6535391 Fax: 0172-3013391
(M) : 9814000391, 9888000391
E-mail : info@parashydrotech.com



Ref. No: PHPL/175/11-12

Dated: February 4, 2013

To Whom It May Concern:

We have installed STP capacity 200m³/day at Guru Nanak Super Specialty Hospital, Tarn Taran, Punjab. It has been Erected and Commissioned on Dec, 20, 2012.


Hope the above is in line with your requirements.

Thanking you,

Sincerely yours,

For Paras Hydrotech (P) Ltd.,

For Paras Hydrotech (P) Ltd.


Authorised Signatory

(Authorized Signatory)

Project Photographs



Photographs of Waste Storage Area



Photograph of DG Set



Photographs of Fire Safety Equipments



Photographs of Green Area





Photographs of Drinking water facility provided



Photographs of solar panels



866

Annexure-4 (a)



सत्यमेव जयते

INDIA NON JUDICIAL
Government of Punjab

Renew
2831
TTD

₹25

e-Stamp

Certificate No. : IN-PB26202858626110W
Certificate Issued Date : 17-Jun-2024 03:51 PM
Certificate Issued By : pbritupau
Account Reference : NEWIMPACC (SV)/ pb7058904/ AMRITSAR/ PB-AS
Unique Doc. Reference : SUBIN-PBPB705890452818129806472W
Purchased by : VISHAL
Description of Document : Article 4 Affidavit
Property Description : Not Applicable
Area of Property : Not Applicable
Consideration Price (Rs.) : 0
(Zero)
First Party : AMRITSAR ENVIROCARE SYSTEMS PVT LTD
Second Party : Not Applicable
Stamp Duty Paid By : AMRITSAR ENVIROCARE SYSTEMS PVT LTD
Stamp Duty Amount(Rs.) : 25
(Twenty Five only)
Social Infrastructure Cess(Rs.) : 0
(Zero)
Total Stamp Duty Amount(Rs.) : 25
(Twenty Five only)



Please write or type below this line

IN-PB26202858626110W

QE 0007296140

Statutory Alert:

1. The authenticity of this Stamp certificate should be verified at 'www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

02183

AGREEMENT

The agreement entered into the 1st day of August of the year 2024 Exp Date- 31-july -2029.

BETWEEN

M/s. Amritsar Envirocare Systems (P) Ltd., (Formerly Amritsar Healthcare Systems) Village Iban Kalan, Chabal Road, Amritsar (hereinafter called As AECS (P) Ltd. represented by Dr. Inderpal Singh Pasricha, Contact No. 9653470000/0183-5065311. Email id- aecs2004@rediffmail.com

AND

Name of Hospital & Address- Guru Nanak Dev Super Speciality Hospital, Goindwal Road Tarn Tarn, Distt - Tarn Taran.

(hereinafter referred to as the GENERATOR) represented by Dr. Amrik singh

Tel. /Mob No. 8872098100

E-Mail. gndsshospital@gmail.com.

Aadhaar No. 446876915313

Pan No. AMIPS5071M.

Whereas AECS (P) Ltd. has setup a common facility at Chabal Road, Village Iban Kallan, Amritsar and has setup a unit of this facility for collection, transportation, treatment and disposal of Bio-Medical Wastes (hereinafter called as BMW) generated by Health care Establishments (HCFs – Hospitals, nursing homes blood bank, OPD Clinics, pathological, Laboratories, Diagnostic Centres, Medicine Manufacture centre. Medical Store, Beauty Saloon etc.)

Whereas AECS (P) Ltd. offers to provide service to the GENERATOR on a user pay principle for collection Transportation. Treatment and Disposal of BMW at the Rate of Rs. 10.95/- + GST 12% Extra (including transportation charges) per bed per day with a security advance equivalent to the payment for 60 days bag charges extra.


Whereas AECS (P) Ltd. undertakes the liability of collection, transportation, treatment and disposal of BMW, the GENERATOR shall undertake to adhere to this contract of service by AECS (P) Ltd. for a minimum period of five years from the agreement date.

Where the GENERATOR is a Hospital and agrees to avail the services being provided by AECS (P) Ltd. with the terms & conditions as listed on succeeding paras:-

RESPONSIBILITIES OF AECSPL

1. AECS (P) Ltd. shall meet all the rules and regulations stipulate by the PPCB and the GENERATOR shall not be liable for any improper handling and management.
2. AECS (P) Ltd. alone is liable for any violation of the Environment (Protection) Act 1986 and the relevant rules made there under, collection of BMW from the Generator unit as per the agreement terms & conditions.
3. AECS (P) Ltd. shall collect BMW from the Generator premises.
4. In case AECS (P) Ltd. vehicle fails to collect the BMW within 24 hours of the designated time (24 hours) due to any reason. The GENERATOR shall inform the AECS (P) Ltd. office at Amritsar, who will ensure to strictly collect the BMW within the next 24 hours. AECS (P) Ltd. shall be solely responsible for the consequences, if any, in this regard. AECS (P) Ltd. office shall maintain a register for such complaints and allot the complaint number to the GENERATOR.

For Amritsar Envirocare Systems Pvt. Ltd.


Director


 **Amrik Singh**
Medical Superintendent
Guru Nanak Dev Super Speciality
Hospital Tarn Taran, Pb. India

5. Other complaints, if any, shall also be made to AECS (P) Ltd., Amritsar office by the GENERATOR, AECS (P) Ltd. promises to attend to all such complaints, within the shortest possible time.
6. AECS (P) Ltd. shall collect the segregated bio-medical waste from the identified common waste collection site in the premises of GENERATOR.
7. AECS (P) Ltd. shall provide assistance to finalize the pick-up location to the GENERATOR.
8. AECS (P) Ltd. shall transport the segregated waste in closed container vehicle to its treatment plant.
9. The GENERATOR purchase non-chlorinated bags and color bar coded labels from CBWTF on payment basis as per standard rates. The rates of bags will be Rs.250 per kg (Including GST) and bar coded labels cost will be Rs.80 paisa per piece through our concern M/S Universal Enterprises. (As per PPCB order no.242-46 dated 04-02-2021) in which mentioned "that the operator of the CBWTF shall also specify the responsibilities of CBWTF and payment conditions including options such as supply of non-chlorinated bags, supply of bar-coded labels, etc in the agreement made with health care facilities (HCE) as mentioned in the Bio Medical Waste Management Rules, 2016.
10. AECS (P) Ltd. shall schedule the timings the collecting the waste in consultation with the GENERATOR.
11. AECS (P) Ltd. will not be liable for Environment (Protection) Act 1986 or any similar regulations/norms set up by PPCB, Government Bodies, in the event the GENERATOR violates any of the terms and conditions.
12. AECS (P) Ltd. shall be responsible for appropriate treatment and shredding of disinfected waste at the centralized facility as per Schedule-1 of the BMW (M&I) Rules 2016.
13. AECS (P) Ltd. shall also undertake testing of treated waste to ensure safety to the environment.
14. AECS (P) Ltd. shall be responsible for the disposal of treatment waste into secured landfills or in recycling plants as applicable.

RESPONSIBILITIES OF THE GENERATOR

1. The GENERATOR shall segregate the waste at the point of generation in accordance with the BMW (M&H) Rules 2016 and in compliance with the standards prescribed there under.
2. The GENERATOR shall collect the segregate BMW in plastic bags as stipulated by Pollution Control Board (PCB) Norms.
3. The bags shall be procured by the GENERATOR at its own cost either through AECS (P) Ltd. or through PPCB approved vendor.
4. The bags used for collecting solid materials, placenta, amputated body parts etc., (required to be incinerated) shall be non-chlorinated plastic bags.
5. All the bags shall be sealed tightly by the GENERATOR and AECS (P) Ltd. will collect the sealed bags only at a secured designated point in the premises of the GENERATOR.
6. The GENERATOR shall disinfect the sharps and mutilate them and hand them over in Puncture Proof Containers to AECS (P) Ltd.
7. The GENERATOR shall take all steps to ensure that the waste is handled without adverse effects to human health and environment.
8. The GENERATOR shall furnish annual report regarding generation, collection, storage, transportation and disposal of Bio-Medical wastes in the prescribed format to Punjab Pollution Central Board.

For Amritsar Envirocare Systems Pvt. Ltd.


Director


Amrik Singh
Medical Superintendent
Guru Nanak Dev Super Speciality
Hospital Tarn Taran, Pb. India

9. The GENERATOR shall be solely responsible for the number of beds being to AECS (P) Ltd. which must be same for which the authorization is proposed to be got from Punjab Pollution Control Board. The GENERATOR shall inform AECS (P) Ltd. and about any such change in the number of beds. The total no. of beds are (100 Beds) at present.

TERMS OF MEMBERSHIP & PAYMENT

1. The GENERATOR shall pay a Membership Registration Fee of Rs.2500/- (+18%GST Extra) for five year & renewal of agreement fee is Rs.500/- (+18%GST Extra) for one years, which are non -refundable.
2. The security advance of 60 days is refundable/ adjustable upon completion of this agreement against BMW collection.
3. The GENERATOR shall pay the monthly charges of cost of disposal by 10th of every month without fail. Payments that are not made by the 10th of every month shall be charged a late day upto 22nd of the month.
4. AECS (P) Ltd. shall stop collecting BMW from GENERATOR if payments are not received by 22nd of the month.
5. Renewal of service shall be subject to a charge of Rs.500/- in addition to the amount due including the fine.
6. All payments shall be made in favour of AECS (P) Ltd. in the form of DD or A/c. payee cheques. All bounced cheques shall be charged at Rs.100/- extra in addition to the actual bank charges.
7. **The Service Charges increased by 7% every year in January without any prior intimation.**
8. AECS (P) Ltd. has right to change the service charges time to time according to diesel prices and after Punjab Pollution Control Board, Patiala & DHS orders for revision of rates.'
9. These rates are subject to mutually reviewable during this agreement period.
10. All disputes are subject to Amritsar Jurisdiction only.
11. **New HCF's must obtain authorization under Bio Medical Waste Rules, 2016 From Punjab Pollution Control Board within 3 months from the date of signing agreement. If fails this agreement stands cancelled and we stop our Bio Medical Waste collection services immediately by giving notice and intimation to Punjab Pollution Control Board.**

Witnesses: 1. Gurdial singh

2. Sarabjit Singh

For Amritsar Envirocare Systems Pvt. Ltd.

Director



amrit singh
Medical Superintendent
Guru Nanak Dev Super Speciality
Hospital Patiala, India



PUNJAB POLLUTION CONTROL BOARD
Zonal Office, Plot No. 164, Focal Point, Mehta Road, Amritsar.
www.ppcb.gov.in

Office Dispatch No :

Registered/Speed Post

Date:

Registration ID: R13TRT166980

Application No : 18883830

To,

Tegbir Singh,
Goindwal Road,
Tarn taran, Tarantaran, 143401

Subject: Renewal of Authorization under Bio-Medical Waste Management Rules, 2016 framed under Environment (Protection) Act, 1986 for [Generation, Collection, Storage] of Bio-Medical Waste.

With reference to your application for obtaining Authorization under Bio-Medical Waste Management Rules, 2016 framed under Environment (Protection) Act, 1986, you are, hereby authorized for handling/ managing Bio-Medical Waste under Bio-Medical Waste Management Rules, 2016 as per the details specified in this authorization.

1. Particulars of Applicant (Occupier/Operator)

Name of Applicant (Occupier/Operator)	Tegbir Singh
Designation :	Administrative Officer
Correspondent Address :	Tegbir Singh, Goindwal Road, Tarn taran, Tarantaran, 143401
Mobile Number :	8872089100
Landline Number :	01852-667100
Fax Number :	01852-667100
Email-ID :	sanghagurman@gmail.com

2. Particulars of HCF/CBWTF

Name of HCF/CBWTF	Guru nanak dev super speciality hospital
Address of HCF/CBWTF premises	Guru nanak dev super speciality hospital Goindwal road
Mobile Number :	8872089100
Facility Type and Subtype	HCF (Private Hospital(Bedded))
Ownership	Any other Associate or Body
No. of Beds/Dental Chairs (for HCF)	100
No. of HCF covered(for CBWTFs)	-
No. of Beds covered	-
No of Beds	100
Area and Distance Covered by CBWTF	-
Mode of Transportation of BMW	Common Facility Vehicle

"This is computer generated document from OCMMS by PPCB"

Guru nanak dev super speciality hospital, Goindwal road, Tarn taran, Tarantaran, 143401

Page No.:- 1

3. Particulars of Authorization

Authorization No.	BMW/Renewal/TRT/2022/18883830
Previous Authorization No	BMW/Renewal/TRT/2018/7479268
Previous Authorization Date of Issue	14/05/2018
Previous Authorization Date of Expiry	31/03/2022
Date of Issue	13/06/2022
Date of Expiry	31/03/2027
Authorization Type	Renewal
Activities authorized	[Generation, Collection, Storage]


4. Particulars of Bio-Medical Waste

Waste category	Quantity permitted for handling	Unit
Yellow	768.24	kg/day
Red	876.27	kg/day
White(Translucent)	138.47	kg/day
Blue	25.57	kg/day

5. The HCE/CBWTF shall discharge its effluent after treatment as prescribed under the Rules.

6. The Authorization is subject to the Terms and Conditions as specified in this Authorization and also to such conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.





13/06/2022

(Kamaljit Singh)
Environmental Engineer

For & on behalf

of


(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

The EE, RO, Amritsar for info. and n/a please.



13/06/2022

(Kamaljit Singh)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

TERMS AND CONDITIONS

A. GENERAL CONDITIONS

1. This authorization is issued for _____ number of beds. For any increase in number of beds, the applicant shall obtain prior permission of the Board.
2. The Medical Institution / Health Care Facility shall apply for the renewal of authorization at least 2 months before the expiry of this authorization.
3. The Medical Institution / Health Care Facility shall comply with the provisions of the Environment (Protection) Act, 1986 as amended from time to time and the rules made there under.
4. The authorization and all relevant records shall be produced for inspection on the request of an officer of prescribed authority.
5. The HCF shall take all necessary steps to ensure that bio-medical waste is handled without any adverse effect to human health and the environment and in accordance with these rules;
6. The HCF shall make a provision within the premises for a safe, ventilated and secured location for storage of segregated biomedical waste in colored bags or containers in the manner as specified in Schedule I, to ensure that there shall be no secondary handling, pilferage of recyclables or inadvertent scattering or spillage by animals and the bio-medical waste from such place or premises shall be directly transported in the manner as prescribed in these rules to the common bio-medical waste treatment facility or for the appropriate treatment and disposal, as the case may be, in the manner as prescribed in Schedule I.
7. The HCF shall pre-treat the laboratory waste, microbiological waste, blood samples and blood bags through autoclaving/microwaving and then sent to the common bio-medical waste treatment facility for final disposal. The HCF shall maintain a logbook of operation of Autoclave.
8. The HCF shall phase out use of chlorinated plastic bags, gloves and blood bags as mentioned in the Rules;
9. Incase the HCF purchase color coded bag from open market, it shall get the testing certificate from CIPET Lab, Amritsar regarding absence of chlorinated material in it. However, if it is procured from CBWTF operator, the HCF shall obtain the test certificate from CBWTF operator.
10. The HCF shall dispose of general waste other than bio-medical waste in green bin.
11. The HCF shall not dispose bio-medical waste with municipal solid waste;
12. The HCF shall provide training to all its health care workers and others, involved in handling of bio medical waste at the time of induction and thereafter at least once every year and the details of training programmes conducted, number of personnel trained and number of personnel not undergone any training shall be provided in the Annual Report;
13. The HCF shall immunise all its health care workers and others, involved in handling of bio-medical waste for protection against diseases including Hepatitis B and Tetanus that are likely to be transmitted by handling of bio-medical waste, in the manner as prescribed in the National Immunisation Policy or the guidelines of the Ministry of Health and Family Welfare issued from time to time;
14. The HCF shall ensure occupational safety of all its health care workers and others involved in handling of biomedical waste by providing appropriate and adequate personal protective equipments;
15. The HCF shall conduct health check up at the time of induction and at least once in a year for all its health care workers and others involved in handling of bio- medical waste and maintain the records for the same;
16. The HCF shall ensure segregation of liquid chemical waste at source and ensure pre-treatment or neutralisation prior to mixing with other effluent generated from health care facilities;
17. The HCF shall ensure treatment and disposal of liquid waste in accordance with the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974).
18. The HCF shall obtain consents under the provisions of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981.
19. The HCF shall maintain and update on day to day basis the bio-medical waste management register and display the monthly record on its website according to the bio-medical waste generated in terms of category and colour coding as specified in Schedule I. All the record shall be subject to inspection and verification by the Prescribed Authority /authorized person at any time. The record shall be maintained for a period of 5 years.
20. The HCF shall report major accidents including accidents caused by fire hazards, blasts during handling of biomedical waste and the remedial action taken and the records relevant thereto, (including nil report) in Form I to the prescribed authority within 24 hours and also along with the annual report;.

21. The HCF shall submit Annual Report in Form-IV as per Rule 13 by 30th June every year to the Board. The HCF shall make available the annual report on its web-site and all the health care facilities shall make own website within two years w.e.f 28.03.2016.
22. The HCF shall ensure that Untreated human anatomical waste, animal anatomical waste, soiled waste and, biotechnology waste shall not be stored beyond a period of forty eight hours: Provided that in case for any reason it becomes necessary to store such waste beyond such a period, the occupier shall take appropriate measures to ensure that the waste does not adversely affect human health and the environment and inform the prescribed authority along with the reasons for doing so.
23. The HCF shall inform the prescribed authority immediately in case the operator of a facility does not collect the bio-medical waste within the intended time or as per the agreed time;
24. The HCF shall establish a system to review and monitor the activities related to bio-medical waste management, either through an existing committee or by forming a new committee and the Committee shall meet once in every six months and the record of the minutes of the meetings of this committee shall be submitted along with the annual report to the prescribed authority and the healthcare establishments having less than thirty beds shall designate a qualified person to review and monitor the activities relating to bio-medical waste management within that establishment and submit the annual report;
25. The occupier of the HCF shall maintain proper housekeeping in the premises where the bio-medical wastes are handled.
26. The HCF is required to set up system/equipments for requisite segregation, collection, storage and pre-treatment of bio-medical waste in conformance to the provisions of Bio-Medical Waste (Management) Rules, 2016.
27. The Containers/ Bags used for segregation and disposal of waste shall be labeled in accordance with schedule- IV (Part-A).
28. The HCF shall segregate the bio-medical waste collected in the container bags at the point of generation in accordance with Schedule-I prior to storage, transportation, treatment and disposal.
29. The HCF shall hand-over segregated waste as per Schedule-I to common bio-medical waste treatment facility for treatment, processing and final disposal.
30. The HCF shall paste Bar-Code Stickers on respective color coded bags, puncture proof containers and cardboard box before disposal to CBWTF.
31. The HCF shall ensure treatment and disposal of waste in accordance with Schedule I and in compliance with the standards provided in Schedule-II.
32. The HCF shall phase-out use of mercury based instruments. The handling and disposal of all mercury waste and lead waste shall be in accordance with the respective rules and regulations.
33. The occupier of the HCF will be liable for action under section 5 and section 15 of the Environment (Protection) Act, 1986, in case of any violation.
34. The HCF shall comply with the standards and specifications as per Bio-Medical Waste Management Rules, 2016.
35. The HCF shall give its bio-medical waste only to the authorized area common bio-medical waste treatment facility who has valid authorization of the prescribed authority.
36. The HCF will have to make its own arrangement afresh in case the authorization of the common facility to whom it has entered a MOU is revoked, by the Prescribed Authority.
37. The occupier of the HCF shall not change or alter either the quality or the quantity or the rate of discharge of liquid/emission or temperature or the route of discharge without prior written permission from the Board.
38. The occupier of the HCF, its heirs, legal representatives etc., shall have no claim whatsoever to the continuation or renewal of this authorization after the expiry of the authorization.
39. The authorized person shall intimate Board prior to closing down the facility.
40. The HCF shall not rent, sell, transfer or otherwise transport the bio-medical waste without prior permission from the Board.
41. Any unauthorized change in personnel/equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
42. The Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions of the authorization without any prior notice.

B. SPECIAL CONDITIONS

1. The Project Proponent may also develop the vermi-composting to manage the biodegradable solid waste. PP shall not throw, burn or burry any solid wastes in open, outside premises or in drain / water bodies.
2. The Project Proponent shall not throw burn or burry any solid wastes in open outside premises or in drain / water bodies.
3. The Project Proponent shall promote use of alternatives of single use plastics (SUP) and awareness to discourage use of plastic, through their Corporate Environment Responsibility (CER) activities.
4. The Project Proponent shall ensure that there are no usages of single use plastic- thermocol disposable items such as water bottles / water pouches/water cups, plates, forks, spoons, straw etc. and single use decorating material made of plastic-thermocol or any other non-biodegradable material in the premises.
5. The project proponent shall properly handle and manage the solid wastages as per the provisions of the Municipal Solid Waste Rules 2016 and ensure that the solid waste is segregated & disposed of in an environmentally sound manner.
6. The HCF shall comply all the guidelines issued by CPCB/PPCB and shall get the agreement renewed with CBWTF well before the expiry of the same and submit the same to the Board.

Kamaljit Singh


13/06/2022

(Kamaljit Singh)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)



**PUNJAB POLLUTION CONTROL BOARD**

Zonal Office, Plot No. 164, Focal Point, Mehta Road,
Amritsar

Website:- www.ppcb.gov.in



LiFE
Lifestyle for
Environment

Office Dispatch No :

Registered/Speed Post

Date:

Industry Registration ID : R13TRT166980

Application No : 21873812

To,

Tegbir Singh
Goindwal Road,
TaranTaran,TaranTaran-143401

Subject: Renewal of Authorization for operating a facility for 'Collection, Generation, Storage, Disposal, ' of Hazardous Wastes as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 .

Tegbir Singh of Guru nanak dev super speciality hospital is hereby granted an authorisation based on the enclosed signed inspection report for Collection, Generation, Storage, Disposal, on the premises situated at Goindwal road, Tarn taran, Tarantaran-143401

1. Particulars of Authorization granted to the Industry

Authorization No	HWM/renew/TRT/2023/21873812
Previous Authorization No	
Date of issue :	23/06/2023
Date of expiry :	31/03/2027
Previous Authorization Date of Issue :	09/06/2021
Previous Authorization Date of Expiry :	31/03/2023
Authorization Type :	renew


2. Particulars of the Industry

Name & Designation of the Applicant	Sulakhan Singh Riar, (Administrative Officer)
Address of Industrial premises	Guru nanak dev super speciality hospital, Goindwal road, Tarn taran,Tarantaran-143401
Capital Investment of the Industry	16006.0 lakhs
Category of Industry	Red
Type of Industry	Hospitals
Scale of the Industry	Small
Office District	Tarantaran

3. Particulars of Wastes

Category of Hazardous Waste as per the Schedules I,II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc	Quantity (ton/annum)
Schedule I 5.1-Used or spent oil	Generation , Collection , Storage , Disposal	0.130 KL/Annum

4. The authorisation is subject to the general and specific conditions as appended with the Authorization.



23/06/2023

(Satyajeet Singh Attri)
Environmental Engineer

For & on behalf

of


(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

The EE, RO, Amritsar for info. and n/a please.



23/06/2023

(Satyajeet Singh Attri)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)


TERMS AND CONDITIONS

A. GENERAL CONDITIONS

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on $i\frac{1}{2}$ Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty $i\frac{1}{2}$.
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
11. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be made as laid down under these Rules.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.

B. SPECIFIC CONDITIONS

1. The HCF shall extend its agreement M/s Aggarwal Manufacturing Co., Ludhiana for the lifting of Hazardous Waste.
2. The HCF shall get its hazardous waste lifted to the authorized recycler within 03 month and shall submit the manifest to RO, Amritsar.



23/06/2023

(Satyajeet Singh Attari)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)



PUNJAB POLLUTION CONTROL BOARD
 Zonal Office, Plot No. 164, Focal Point, Mehta Road, Amritsar
 Website:- www.ppcb.gov.in

Office Dispatch No :	Registered/Speed Post	Date:
Industry Registration ID: R13TRT166980		Application No : 21651747

To,
Sulakhan Singh Riar
Goindwal Road,
Tarantaran, Tarantaran-143401

Subject: **Renewal of 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981 for discharge of emissions arising out of premises.**

With reference to your application for obtaining Renewal of 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981, you are hereby, authorized to operate an industrial unit for discharge of the emission(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

1. Particulars of Consent to Operate under Air Act, 1981 granted to the industry

Consent to Operate Certificate No.	CTOA/Renewal/TRT/2023/21651747
Date of issue :	09/06/2023
Date of expiry :	31/03/2027
Certificate Type :	Renewal
Previous CTO No. & Validity :	CTOA/Renewal/TRT/2022/18248007 From:12/04/2022 To:31/03/2023

2. Particulars of the Industry

Name & Designation of the Applicant	Sulakhan Singh Riar, (Administrative Officer)
Address of Industrial premises	Guru Nanak Dev Super Speciality Hospital, Goindwal Road, Tarn Taran, Tarantaran-143401
Capital Investment of the Industry	16006.0 lakhs
Category of Industry	Red
Type of Industry	Hospitals
Scale of the Industry	Small
Office District	Tarantaran
Consent Fee Details	
Raw Materials (Name with Quantity per day)	Hospital @ 100 Beds @100Numbers/Day
Products (Name with Quantity per day)	Hospital @ 100 Beds @100Numbers/Day
By-products, if any, (Name with Quantity per day)	As per details submitted.
Details of the machinery and process	As per details submitted.

Quantity of fuel required (in TPD) and capacity of boilers/ Furnace/Thermo heater etc.	As per details submitted.
Type of Air Pollution Control Devices to be installed	As per details submitted.
Stack height provided with each boiler/thermo heater/Furnace etc.	As per details submitted.
Sources of emissions and type of pollutants	As per details submitted.
Standards to be achieved under Air(Prevention & Control of Pollution) Act, 1981	As prescribed by the Board.



09/06/2023

**(Satyajeet Singh Attari)
Environmental Engineer**

For & on behalf

of

(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

The EE, RO, Amritsar for info. and n/a please.



09/06/2023

**(Satyajeet Singh Attari)
Environmental Engineer**

For & on behalf

of

(Punjab Pollution Control Board)

TERMS AND CONDITIONS

A. GENERAL CONDITIONS

1. This consent is not valid for getting power load from the Punjab State Power Corporation Ltd. or for getting loan from the financial institutions.
2. The industry shall apply for renewal /extension of consent at least two months before expiry of the consent.
3. The industry shall not violate any of the norms prescribed under the Air (Prevention & Control of Pollution) Act, 1981, failing which, the consent shall be cancelled / revoked.
4. The achievement of adequacy and efficiency of the air pollution control devices installed shall be the entire responsibility of the industry
5. The authorized fuel being used shall not be changed without the prior written permission of the Board.
6. The industry shall not discharge any fugitive emissions. All gases shall be emitted through a stack of suitable height, as per the norms fixed by the Board from time to time.
7. The industry shall provide port-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any chimney, flue or duct or any other outlets.

Specifications of the port-holes shall be as under:-

- i) The sampling ports shall be provided atleast 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter (De) shall be calculated from the following equation to determine upstream, downstream distance:-
$$De = 2 LW / (L+W)$$

Where L= length in mts. W= Width in mts.
 - ii) The sampling port shall be 7 to 10 cm in diameter
8. The industry shall put display Board indicating environmental data in the prescribed format at the main entrance gate.
 9. The industry shall discharge all gases through a stack of minimum height as specified in the following standards laid down by the Board.

(i) Stack height for boiler plants

S.NO.	Boiler with Steam Generating Capacity	Stack heights
1.	Less than 2 ton/hr.	9 meters or 2.5 times the height of neighboring building which ever is more
2.	More than 2 ton/hr. to 5 ton/hr.	12 meters
3.	More than 5 ton/hr. to 10 ton/hr	15 meters
4.	More than 10 ton/hr. to 15 ton/hr	18 meters
5.	More than 15 ton/hr. to 20 ton/hr	21 meters
6.	More than 20 ton/hr. to 25 ton/hr.	24 meters
7.	More than 25 ton/hr. to 30 ton/hr.	27 meters
8.	More than 30 ton/hr.	30 meters or using the formula $H = 14 Q_g^{0.3}$ or $H = 74 (Q_p)^{0.24}$ Where Q_g = Quantity of SO ₂ in Kg/hr. Q_p = Quantity of particulate matter in Ton/day.

Note : Minimum Stack height in all cases shall be 9.0 mtr. or as calculated from relevant formula whichever is more.

(ii) For industrial furnaces and kilns, the criteria for selection of stack height would be based on fuel used for the corresponding steam generation.

(iii) Stack height for diesel generating sets:

Capacity of diesel generating set	Height of the Stack	
0-50 KVA	Height of the building	+ 1.5 mt
50-100 KVA	-do-	+ 2.0 mt.
100-150 KVA	-do-	+ 2.5 mt.
150-200 KVA	-do-	+ 3.0 mt.
200-250 KVA	-do-	+ 3.5 mt.
250-300 KVA	-do-	+ 3.5 mt.

For higher KVA rating stack height H (in meter) shall be worked out according to the formula:

$$H = h + 0.2 (KVA)^{0.5}$$

where h = height of the building in meters where the generator set is installed.

10. The pollution control devices shall be interlocked with the manufacturing process of the industry to ensure its regular operation.
11. The existing pollution control equipment shall be altered or replaced in accordance with the directions of the Board, and no pollution control equipment or chimney shall be altered or as the case may be erected or re-erected except with the prior approval of the Board.
12. The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision of notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF under Environment (Protection) Act, 1986.
13. The Govt. of Punjab, Department of Science, Technology & Environment vide its notification no.4/46/92-3ST/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except the following:-
 $\frac{1}{2}$ In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall make the necessary arrangement to comply with the above notification. $\frac{1}{2}$
14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year
15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification/ modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.
16.
 - a) The industry shall ensure that at any time the emission do not exceed the prescribed emissions standards laid down by the Board from time to time for such type of industry /emissions.
 - b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.

Steam Generating capacity A.	Required particulate matter B.	
Area upto 5 Km from Other than 'A' class Other than the periphery of I and Class-II town		
Less than 2 ton/hr.	800 mg/NM3	1200 mg/NM3
2 ton to 10 ton/hr.	500 mg/NM3	1000 mg/NM3
Above 10 ton to 15 ton/hr	350 mg/NM3	500 mg/NM3
Above 15 ton/hr	150 mg/NM3	150 mg/NM3

All emissions normalized to 12% carbon dioxide.

17. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008, without any adverse effect on the environment, in any manner.
18. The air pollution control equipments shall be kept at all time in good running condition and;

- (i) All failures of control equipments.
 - (ii) The emissions of any air pollutant into the atmosphere in excess of the standards lay down by the Board occurring or being apprehended to occur due to accident or other unforeseen act or event. 'Shall be intimated through fax to the concerned Regional Office as well as to the Director of Factories, Punjab, Chandigarh as required under rule 10 of the Punjab State Board for the Prevention and Control of Air Pollution Rules, 1983'.
19. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.
20. The industry shall submit a site emergency plan approved by the Chief Inspector of Factories, Punjab as applicable.
21. The industry shall comply with the conditions imposed by the SEIAA/MOEF in the Environmental Clearance granted to it as required under EIA notification dated 14/9/06, if applicable.
22. The industry shall make necessary arrangements for the monitoring of stack emissions and shall get its emissions analyzed from lab approved / authorized by the Board:-
- (i) Once in Year for Small Scale Industries.
 - (ii) Twice/thrice/four time in a Year for Large/Medium Scale Industries.
23. The industry shall maintain the following record to the satisfaction of the Board :-
- (i) Log books for running of air pollution control devices or pumps/motors used for it.
 - (ii) Register showing the result of various tests conducted by the industry for monitoring of stack emissions and ambient air.
 - (iii) Register showing the stock of absorbents and other chemicals to be used for scrubbers.
24. The industry will install the separate energy meter for running pollution control devices and shall maintain record with respect to operation of air pollution control device so as to satisfy the Board regarding the regular operation of air pollution control device and monthly reading / record may be sent to the Board by the fifth of the following month.
25. The industry shall provide online monitoring system as applicable, for in stack emission and shall maintain the record of the same for inspection of the Board Officers.
26. The Board reserves the right to revoke the consent granted to the industry at any time, in case the industry is found violating the provisions of Air (Prevention & Control of Pollution) Act, 1981 as amended from time to time.
27. The industry shall comply with any other conditions laid down or directions issued in due course by the Board under the provisions of the Air (Prevention & Control of Pollution) Act, 1981.
28. Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected to under this or any other Act.
29. Any amendments/revisions made by the Board/CPCB/MOEF in the emission/stack height standards shall be applicable to the industry from the date of such amendments/revisions.
30. The industry shall dispose off its solid waste generated by the burning of fuel in an Environmentally Sound Manner within the premises/outside as approved by the Board, to avoid public nuisance and air pollution problem in the area.
31. The industry shall ensure that no air pollution problem or public nuisance is created in the area due to the discharge of emissions from the industry.
32. The industry shall provide adequate arrangement for fighting the accidental leakage/discharge of any air pollutant/gas/ liquids from the vessels, mechanical equipment's etc, which are likely to cause environmental pollution.
33. The industry shall not change or alter the manufacturing process(es) and fuel so as to change the quality/quantity of emissions generated without the prior permission of the Board.
34. The industry shall earmark a land within their premises for disposal of boiler ash in an environmentally sound manner, and / or the industry shall make necessary arrangements for proper disposal of fuel ash in a scientific manner and shall maintain proper record for the same, if applicable.
35. The industry shall obtain and submit Insurance cover under the Public Liability Insurance Act, 1991.
36. The industry shall provide proper and adequate air pollution control arrangements for control emission from its fuel handling area, if applicable.

37. The industry shall comply with the code of practice as notified by the Government/Board for the type of industries where the siting guidelines / Code of Practice have been notified.
38. The industry shall not cause any nuisance/traffic hazard in vicinity of the area
39. The industry shall ensure that the noise & air emission from D.G. sets do not exceed the standards prescribed for D.G. sets by the Ministry of Environment & Forests, New Delhi.
40. The industry shall ensure that there will not be significant visible dust emissions beyond the property line
41. The industry shall provide adequate and appropriate air pollution control devices to contain emissions from handling, transportation and processing of raw material & product of the industry.
42. The Industry shall ensure that its production capacity does not exceed the capacity mentioned in the consent and shall not carry out any expansion without the prior permission / NOC of the Board.

B. SPECIAL CONDITIONS

1. The hospital will get effluent sample (combined liquid and domestic effluent) analyzed from an approved lab of the Board within 01month.
2. The hospital shall intimate the Board regarding the change in bed capacity and shall obtain prior consent to operate as well as authorization for the same.
3. The hospital will renew its agreement time to time made with Common Bio Medical Waste Treatment Facility well before its expiry and submit the copy of same in this office.
4. The HCF shall comply vide Head Office, no. 468 dated 31/08/2021 issued by Punjab Pollution Control Board.



Satyajeet Attri

09/06/2023

**(Satyajeet Singh Attri)
Environmental Engineer**

*For & on behalf
of*

(Punjab Pollution Control Board)



PUNJAB POLLUTION CONTROL BOARD
Zonal Office, Plot No. 164, Focal Point, Mehta Road, Amritsar
Website:- www.ppcb.gov.in

Office Dispatch No :

Registered/Speed Post

Date:

Industry Registration ID: R13TRT166980

Application No : 21873339

To,

Tegbir Singh
Goindwal Road,
Tarantaran, Tarantaran-143401

Subject: Renewal of 'Consent to Operate' an outlet u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974 for discharge of effluent.

With reference to your application for obtaining Renewal of 'Consent to Operate' an outlet for discharge of the effluent u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974, you are, hereby, authorized to operate an industrial unit for discharge of the effluent(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

1. Particulars of Consent to Operate under Water Act, 1974 granted to the industry

Consent to Operate Certificate No.	CTOW/Renewal/TRT/2023/21873339
Date of issue :	09/06/2023
Date of expiry :	31/03/2027
Certificate Type :	Renewal
Previous CTO No. & Validity :	CTOW/Renewal/TRT/2022/18248011 From:12/04/2022 To:31/03/2023


2. Particulars of the Industry

Name & Designation of the Applicant	Sulakhan Singh Riar, (Administrative Officer)
Address of Industrial premises	Guru Nanak Dev Super Speciality Hospital, Goindwal Road, Tarn Taran, Tarantaran-143401
Capital Investment of the Industry	16006.0 lakhs
Category of Industry	Red
Type of Industry	Hospitals
Scale of the Industry	Small
Office District	Tarantaran
Consent Fee Details	
Raw Materials(Name with quantity per day)	Hospital @ 100 Beds @100Numbers/Day
Products (Name with quantity per day)	Hospital @ 100 Beds @100Numbers/Day
By-Products, if any,(Name with quantity per day)	As per details submitted.
Details of the machinery and processes	As per details submitted.
Details of the Effluent Treatment Plant	Domestic Effluent @120.0 KLD
Mode of Disposal	Into Sewer after treating through STP

"This is computer generated document from OCMMS by PPCB"

Guru Nanak Dev Super Speciality Hospital, Goindwal Road, Tarn Taran, Tarantaran, 143401

Page1



09/06/2023

**(Satyajeet Singh Attari)
Environmental Engineer**

For & on behalf

of



(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

The EE, RO, Amritsar for info. and n/a please.



09/06/2023

**(Satyajeet Singh Attari)
Environmental Engineer**

For & on behalf

of

(Punjab Pollution Control Board)

TERMS AND CONDITIONS

A. GENERAL CONDITIONS


1. This consent is not valid for getting power load from the Punjab State Power Corporation Limited or for getting loan from the financial institutions.
2. The industry shall apply for renewal/further extension in validity of consent atleast two months before expiry of the consent.
3. The industry shall ensure that the effluent discharging through the authorized outlet shall confirm to the prescribed standards as applicable from time to time.
4. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.
5. The achievement of the adequacy and efficiency of the effluent treatment plant/pollution control devices/recirculation system installed shall be the entire responsibility of the industry.
6. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Wastes(Management, Handling and Trans boundary Movement) Rules, 2008 as amended time to time , without any adverse effect on the environment, in any manner
7. The responsibility to monitor the effluent discharged from the authorized outlet and to maintain a record of the same rests with the industry. The Board shall only test check the accuracy of these reports for which the industry shall deposit the samples collection and testing fee with the Board as and when required.
8. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year.
9. The industry shall submit a yearly certificate to the effect that no addition/up-gradation/ modification/modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.
10. During the period beginning from the date of issuance and the date of expiration of this consent, the applicant shall not discharge floating solids or visible foam.
11. Any amendments/revisions made by the Board in the tolerance limits for discharges shall be applicable to the industry from the date of such amendments/revisions.
12. The industry shall not change or alter the manufacturing process(es) so as to change the quality and/or quantity of the effluents generated without the written permission of the Board.
13. Any upset conditions in the plant/plants of the factory, which is likely to result in increased effluent and/or result in violation of the standards lay down by the Board shall be reported to the Environmental Engineer, Punjab Pollution Control Board of concerned Regional Office immediately failing which any stoppage and upset conditions that come to the notice of the Board/its officers, will be deemed to be intentional violation of the conditions of consent.
14. The industry shall provide terminal manhole(s) at the end of each collection system and a manhole upstream of final outlet (s) out of the premises of the industry for measurement of flow and for taking samples.
15. The industry shall for the purpose of measuring and recording the quantity of water consumed and effluent discharged, affix meters of such standards and at such places as approved by the Environmental Engineer, Punjab Pollution Control Board of the concerned Regional Office.
16. The industry shall maintain record regarding the operation of effluent treatment plant i.e. record of quantity of chemicals and energy utilized for treatment and sludge generated from treatment so as to satisfy the Board regarding regular and proper operation of pollution control equipment.
17. The industry shall provide online monitoring equipment^{1/2}s for the parameters as decided by concerned Regional Office with the effluent treatment plant/air pollution control devices installed, if applicable.
18. The pollution control devices shall be interlocked with the manufacturing process of the industry.
19. The authorized outlet and mode of disposal shall not be changed without the prior written permission of the Board.
20. The industry shall comply with the conditions imposed by the SEIAA / MOEF in the environmental clearance granted to it as required under EIA notification dated 14/9/06, if applicable.
21. The industry shall obtain and submit Insurance cover as required under the Public Liability Insurance Act, 1991.
22. The industry shall not use any unauthorized out-let(s) for discharging effluents from its premises. All unauthorized outlets, if any, shall be connected to the authorized outlet within one month from the date of issue of this consent.

23. The industry shall make necessary arrangements for the monitoring of effluent being discharged by the industry and shall monitor its effluents:-
- (i) Once in Year for Small Scale Industries.
 - (ii) Four in a Year for Large/Medium Scale Industries.
 - (iii) The industry will submit monthly reading/ data of the separate energy meter installed for running of effluent treatment plant/re-circulation system to the concerned Regional Office of the Board by the 5th of the following month.
24. The industry shall provide electromagnetic flow meters at the source of water supply, at inlet/outlet of effluent treatment plant within one month and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by the 5th of the following month.
25. The Board reserves the right to revoke this consent at any time in case the industry is found violating any of the conditions of this consent and/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 as amended from time to time.
26. The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.
27. The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural watercourse.
28. Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected under this or any other Act.
29. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of septic tank.
30. The diversion or bye pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this consent is prohibited except.
- (i) Where unavoidable to prevent loss of life or some property damage or
 - (ii) Where excessive storm drainage or run off would damage facilities necessary for compliance with terms and conditions of this consent. The applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
31. The industry shall ensure that no water pollution problem is created in the area due to discharge of effluents from its industrial premises.
32. The industry shall comply with the code of practice as notified by the Government/ Board for the type of industries where the siting guidelines/ code of practice have been notified.
33. Solids, sludge, filter backwash or other pollutant removed from or resulting from treatment or control of waste waters shall be disposed off in such a manner to prevent any pollutants from such materials from entering into natural water.
34. The industry shall re-circulate the entire cooling water and shall also re-circulate/reuse to the maximum extent the treated effluent in processes
35. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of re-circulation system/ effluent treatment plant.
36. The industry shall make proper disposal of the effluent so as to ensure that no stagnation occurs inside and outside the industrial premises during rainy season and no demand period.
37. Where excessive storm water drainage or run off, would damage facilities necessary for compliance with terms and conditions of this consent, the applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
38. The industry shall submit a detailed plan showing therein the distribution system for conveying waste-water for application on land for irrigation along with the crop pattern for the year.
39. The industry shall ensure that the effluent discharged by it is toxicity free.
40. The industry shall not irrigate the vegetable crops with the treated effluents which are used/ consumed as raw.
41. Drains causing oil & grease contamination shall will be segregated. Oil & grease trap shall be provided to recover oil & grease from the effluent.

42. The industry shall establish sufficient number of piezometer wells in consultation with the concerned Regional Office, of the Board to monitor the impact on the Ground Water Quantity due to the industrial operations, and the monitoring shall be submitted to the Environmental Engineer of the concerned Regional Office by the 5th of every month.
43. The industry shall ensure that its production capacity & quantity of trade effluent do not exceed the quantity mentioned in the consent and shall not carry out any expansion without the prior permission/NOC of the Board.

B. SPECIAL CONDITIONS

1. The hospital will get effluent sample (combined liquid and domestic effluent) analyzed from an approved lab of the Board within 01month.
2. The hospital shall intimate the Board regarding the change in bed capacity and shall obtain prior consent to operate as well as authorization for the same.
3. The hospital will renew its agreement time to time made with Common Bio Medical Waste Treatment Facility well before its expiry and submit the copy of same in this office.
4. The HCF shall comply vide Head Office, no. 468 dated 31/08/2021 issued by Punjab Pollution Control Board.



09/06/2023

**(Satyajeet Singh Attri)
Environmental Engineer**

For & on behalf

of

(Punjab Pollution Control Board)



Eco Paryavaran Laboratories & Consultants Pvt. Ltd.

TEST REPORT



TC-11818

ULR No : NA		Test Report No : NAAL210426NA033	
Type of Sample # : Ambient Air		Date of reporting : 27/04/2026	
Reference Type : Email		Reference No : Dt.: 03/03/2026	
Customer #	Guru Nanak Dev Super Specialty Hospital by M/s Baba Jiwan Singh Baba Dalip Singh Educational Trust, Village Muradpura, Goindwal Sahib ,Tarn-Taran Road, Tehsil Tarn Taran.		
Sampling Protocol	IS 5182, EL-MSP-7.3	Mode of Collection of Sample	Sample collected by Laboratory Mr. Prabhjot Singh
Period of Sampling	20/04/2026 - 21/04/2026	Date of Receipt of Sample	21/04/2026
Sampling Location	At Park (Project Site)	Period of Analysis	21/04/2026 - 27/04/2026
Standard/Specifications	National Ambient Air Quality: G.S.R.No.B-29016/20/90/PCI-L dated 18 Nov, 2009	Environmental Condition	Clear Sky
Testing Location	On Site & Permanent Facility		

RESULTS


1. Chemical Testing

I. Atmospheric Pollution (Ambient Air)

Sr.No	Test Parameter	Unit	Result	Standard	Test Method
1	Respirable Suspended Particulate Matter (PM10)	µg/m3	79	100(max.)	IS 5182 (Part 23)
2	Particulate Matter (PM2.5)	µg/m3	38	60(max.)	IS 5182 (Part 24)
3	Sulphur Dioxide as SO2	µg/m3	BDL (25)	80(max.)	IS 5182 (Part 2)
4	Nitrogen Dioxide (NO2)	µg/m3	29	80(max.)	IS 5182 (Part 6)
5	Ammonia as NH3	µg/m3	BDL (20)	400(max.)	IS 5182 (Part 25)
6	Ozone as O3	µg/m3	32	180(max.)	IS 5182 (Part 9)
7	Carbon Monoxide as CO	mg/m3	0.74	4(max.)	IS 5182 (Part 10) NDIR method

Remarks : NA

End of Report



Mr. Mukesh Chand Agarwal
Authorized Signatory- Chemical

EL-FMT-7.8.2 -AA

Page No.1/2

TEST REPORT



ULR No : NA

Test Report No : NAAL210426NA033

Type of Sample # : Ambient Air

Date of reporting : 27/04/2026

OTHER INFORMATION

Abbreviation & Symbol : # Information provided by customer. ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable
Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@ecoparyavaran.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.



Mr. Mukesh Chand Agarwal
Authorized Signatory- Chemical

TEST REPORT



10-11818

ULR No : NA		Test Report No : NANL210426NA034	
Type of Sample # : Ambient Noise		Date of reporting : 27/04/2026	
Reference Type : Email		Reference No : Dt.: 03/03/2026	
Customer Name #	Guru Nanak Dev Super Specialty Hospital by M/s Baba Jiwan Singh Baba Dalip Singh Educational Trust		
Address #	Village Muradpura, Goindwal Sahib ,Tarn-Taran Road, Tehsil Tarn Taran.		
Sampling Protocol	IS 9989, EL-MSP-7.3	Mode of Collection of Sample	Sample collected by Laboratory Mr. Prabhjot Singh
Period of Sampling	20/04/2026 - 20/04/2026	Date of Receipt of Sample	21/04/2026
Sampling Location	Refer Below	Period of Analysis	21/04/2026 - 22/04/2026
Standard/Specifications	EPA 1986 Schedule-III	Environmental Condition	-
Testing Location	On Site & Permanent Facility		

RESULTS

I. Chemical Testing

1. Atmospheric Pollution(Ambient Noise Levels)

Sr.No	Location	Unit	Result (Day)	Test Method
1	Near Main Gate (At Project Site)	dB(A)	48.3	EL-QTM-11


Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Area Code	Category of Area/Zone	Limits in dB(A) Leq* Day Time	Limits in dB(A) Leq* Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Day time shall mean from 6.00 a.m. to 10.00 p.m., Night time shall mean from 10.00 p.m. to 6.00 a.m., Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority, Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority. *dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale 'A' which is relatable to human hearing

Remarks : NA

End of Report



Mr. Mukesh Chand Agarwal
Authorized Signatory- Chemical

EL-FMT-7.8.2-AN

Page No.1/2

TEST REPORT



ULR No : NA

Test Report No : NANL210426NA034

Type of Sample # : Ambient Noise


Date of reporting : 27/04/2026

OTHER INFORMATION

Abbreviation & Symbol : # Information provided by customer. ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@ecoparyavaran.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.



Mr. Mukesh Chand Agarwal
Authorized Signatory- Chemical

TEST REPORT



ULR No : NA		Test Report No : NGWL210426NA035	
Type of Sample # : Ground Water			
Reference Type : Email		Reference No : Dt.: 03/03/2026	
Customer Name #	Guru Nanak Dev Super Specialty Hospital by M/s Baba Jiwan Singh Baba Dalip Singh Educational Trust		
Address #	Village Muradpura, Goindwal Sahib ,Tarn-Taran Road, Tehsil Tarn Taran.	Period of Sampling	20/04/2026 - 20/04/2026
Sampling Protocol	IS 17614 (Part 1), EL-MSP-7.3	Date of Receipt of Sample	21/04/2026
Sample Collection Mode	Sample collected by Laboratory Mr. Prabhjot Singh	Period of Analysis	21/04/2026 - 27/04/2026
Testing Location	On Site & Permanent Facility	Date of reporting	27/04/2026
Sampling Location	From Borewell No.1 (Project Site)		
Sample Description	Colourless liquid		
Standard/Specifications	IS 10500 : 2021		
Packing, Markings, Seal & Qty.	PE Bottle-1 litre (G/20/01A), Glass Bottle-1litre (G/20/01B), Glass Bottle-500ml (G/20/01C) & PE Bottle-500ml (G/20/01D)		

RESULTS

1. Residue & Contaminants in Water

I. Water (Ground Water)

Sr.No	Test Parameter	Unit	Result	Acceptable Limit	Permissible Limit in Absence of Alternate Source	Test Method
1	Iron as Fe	mg/l	BDL (0.001)	1.0(Max.)	No Relaxation	USEPA 3015A

2. Chemical Testing

II. Water (Ground Water)

Sr.No	Test Parameter	Unit	Result	Acceptable Limit	Permissible Limit in Absence of Alternate Source	Test Method
1	Colour	CU	BDL (1)	5(Max.)	15(Max.)	IS 3025 Part-4 Cl 2.0
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 Part 5
3	pH @ 25°C	-	7.25	6.5-8.5	No relaxation	IS 3025 Part 11
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 Part 8
5	Turbidity	NTU	BDL (0.1)	1(Max)	5(Max)	IS 3025 Part 10
6	Chloride as Cl	mg/l	12	250(Max.)	1000(Max.)	IS 3025 (Part 32)

Mr. Mukesh Chand Agarwal
Authorized Signatory- Chemical

EL-FMT-7.8.2-W

Ms. Lata Thakur
Authorized Signatory - Biological

Page No.1/2

TEST REPORT



TC-11818

ULR No : NA			Test Report No : NGWL210426NA035			
Type of Sample # : Ground Water						
7	Total Hardness as CaCO3	mg/l	159	200(Max.)	600(Max.)	IS 3025 (Part 21)

3. Biological Testing

III. Water (Ground Water)

Sr.No	Test Parameter	Unit	Result	Acceptable Limit	Permissible Limit in Absence of Alternate Source	Test Method
1	Total Coliform	MPN/100ml	<2	Shall not be detectable in any 100 ml sample	Shall not be detectable in any 100 ml sample	IS 1622 (3.3.1)
2	E.coli.	MPN/100ml	<2	Shall not be detectable in any 100 ml sample	Shall not be detectable in any 100 ml sample	IS 1622 (3.3.4)

Remarks : <2 is equal to absent (Total Coliform & E.coli.)

End of Report

OTHER INFORMATION

Abbreviation & Symbol : # Information provided by customer. ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

- The results relate only to the items tested.
- Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
- The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
- Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@ecoparyavaran.org
- The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
- All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
- In case where sample is provided by the customer, the reported results shall apply to the sample as received.

Mr. Mukesh Chand Agarwal
Authorized Signatory- Chemical



Ms. Lata Thakur
Authorized Signatory - Biological

TEST REPORT



ULR No : NA		Test Report No : NSL210426NA036	
Type of Sample # : Soil/Sediments			
Reference Type : Email		Reference No : Dt.: 03/03/2026	
Customer Name #	Guru Nanak Dev Super Specialty Hospital by M/s Baba Jiwan Singh Baba Dalip Singh Educational Trust		
Address #	Village Muradpura, Goindwal Sahib ,Tarn-Taran Road, Tehsil Tarn Taran.	Period of Sampling	20/04/2026 - 20/04/2026
Sampling Protocol	USEPA/600/R-92/128, EL-MSP-7.3	Date of Receipt of Sample	21/04/2026
Sample Collection Mode	Sample collected by Laboratory Mr. Prabhjot Singh	Period of Analysis	21/04/2026 - 27/04/2026
Testing Location	Permanent Facility	Date of reporting	27/04/2026
Sampling Location	From Park (At Project Site)		
Sample Description	Brown coloured soil.		
Standard/Specifications	Manual- Dept. of Agriculture (GoI); 2011		
Packing, Markings, Seal & Qty.	10kg Polybag Marked (G/20/01)		

RESULTS

1. Chemical Testing

I. Pollution & Environment (Soil/Sediments)

Sr.No	Test Parameter	Unit	Result	Test Method
1	Conductivity @25°C	ms/m	0.220	IS 14767
2	Organic Matter	%	1.18	IS 2720 (Part 22)
3	pH	-	8.07	IS 2720 (Part 26)
4	Moisture Content	%	7.8	IS 2720 (Part 2)-Sec 1
5	Texture	-	Sandy Loam	IS 2720 (Part 4) CI 2.4 IS 1498
6	Bulk Density	g/cc	1.58	IS 2720 (Part 28)
7	Sand	%	69	EL-QTM-12
8	Silt	%	19	EL-QTM-12
9	Clay	%	12	EL-QTM-12

Remarks : NA

End of Report

E-207
Phase VIII-B
(Sector-74)
Mohali (Punjab) 160071

Mr. Mukesh Chand Agarwal
Authorized Signatory- Chemical

EL-FMT-7.8.2-S

Page No.1/2

TEST REPORT



ULR No : NA

Test Report No : NSL210426NA036

Type of Sample # : Soil/Sediments

OTHER INFORMATION

Abbreviation & Symbol : # Information provided by customer. ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable
Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@ecoparyavaran.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.



Mr. Mukesh Chand Agarwal
Authorized Signatory- Chemical

CSR activities conducted

ਗੁਰੂ ਨਾਨਕ ਦੇਵ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ
ਗੋਇੰਦਵਾਲ ਸਾਹਿਬ ਰੋਡ, ਤਰਨਤਾਰਨ -143401

ਫਰੀ ਲੀਵਰ ਜਾਂਚ ਕੈਂਪ
FIBROSCAN CAMP

ਸਥਾਨ: ਗੁਰੂ ਨਾਨਕ ਦੇਵ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ, ਤਰਨਤਾਰਨ
ਦਿਨ ਵੀਰਵਾਰ 23 ਅਕਤੂਬਰ, 2025
ਸਵੇਰੇ 10 AM ਤੋਂ 3 PM ਤੱਕ

ਵਾਈਬ੍ਰੋਸਕੈਨ ਟੈਸਟ ਦੀ ਲੋੜ ਕਿਸ ਨੂੰ ਹੈ?

- ਫੋਟੀ ਲੀਵਰ ਵਾਲੇ ਮਰੀਜ਼
- ਸ਼ਿਸ਼ਾਦਾ ਸ਼ਰਾਬ ਦਾ ਸੇਵਨ ਕਰਨ ਵਾਲੇ
- ਹੈਪਾਟਾਇਟਿਸ ਬੀ ਅਤੇ ਸੀ ਵਾਲੇ (ਕਾਲਾ ਪੀਲੀਆ)
- ਲੀਵਰ ਦੇ ਖੂਨ ਦੇ ਟੈਸਟ (LFT) ਵਿੱਚ ਖਰਾਬੀ ਵਾਲੇ
- ਲੀਵਰ ਨਾਲ ਜੁੜੀਆਂ ਹੋਰ ਬੀਮਾਰੀਆਂ ਤੋਂ ਪੀੜ੍ਹਿਤ

ਸਾਡੇ ਮਾਹਿਰ ਡਾਕਟਰ:

ਡਾ. ਸੰਜੇ ਕ੍ਰਿਸ਼ਨ ਧਰ
MBBS, MD (Medicine)
DPM (Gastroenterology)
ਪੇਟ ਅਤੇ ਜਿਗਰ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ

ਡਾ. ਅੰਮ੍ਰਿਤਪਾਲ ਸਿੰਘ
MBBS, MD (Medicine)
ਜਨਰਲ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ ਡਾਕਟਰ

01852-505100





Submission of six-monthly compliance report (SMC) for period ending on 30.09.2025 for project namely "**Guru Nanak** Dev Super Specialty Hospital" Located at Village Muradpura, Goindwal Sahib, Tarn-Taran Road, Punjab.



Summarize

GS

Gurman Sangha<sanghagurman@gmail.com>

To: eccompliance-nro@gov.in; ronz.chd-mef@nic.in



Wed 11/26/2025 5:24 PM



SMC(30.09.2025) **Guru Nanak** Dev...

7 MB



Respected Sir,

Greetings for the day!!!

We are hereby submitting the six-monthly compliance report for the period ending 30.09.2025 for project namely "**Guru Nanak** Dev Super Specialty Hospital" Located at Village Muradpura, Goindwal Sahib, Tarn-Taran Road, Punjab.

Kindly acknowledge the receipt of the same.



Fwd: Regarding Submission of Six-Monthly Compliance Report for period ending 31.03.2025 for the project namely "Guru Nanak Dev Super Specialty Hospital"

From Gurman Sangha <sanghagurman@gmail.com>

Date Fri 6/13/2025 11:09 AM

To ecompliance-nro@gov.in <ecompliance-nro@gov.in>; ronz.chd-mef@nic.in <ronz.chd-mef@nic.in>

 1 attachment (9 MB)

SM Guru Nanak Dev Hospital 31.03.2025.pdf;

Respected Sir,

Greetings for the day!!!

We are hereby submitting the six-monthly compliance report for the period ending 31.03.2025 for project namely "Guru Nanak Dev Super Specialty Hospital" Located at Village Muradpura, Goindwal Sahib, Tarn-Taran Road, Punjab.

Kindly acknowledge the receipt of the same.

Thanks & Regards

For M/s Guru Nanak Dev Super Specialty Hospital